





Engineering Adhesives for Sports and Leisure Equipment

MANUFACTURING REQUIREMENTS

Bostik Born2Bond™ Engineering Adhesives enable manufacturers of sports and leisure equipment to design and produce durable, lightweight and high performance products that are easy to use, repair, maintain and recycle.

- Automation, in-line integration & high throughput
- Serviceability & repairability

- High precision, aesthetics & multi-substrates
- Sustainability & safety

SOLUTIONS FOR ALL SPORTS AND LEISURE APPLICATIONS



Composite parts bonding with Born2Bond™ XMA Structural, Bostik 2K-Epoxy, 2KPU

Helmet polystyrene and rubber bonding with Born2Bond™ Instant Adhesives





Handles and frame bonding with Born2Bond™ Instant Adhesives, Born2Bond™ XMA Structural



Sports eyewear parts bonding with Born2Bond™ Instant Adhesives Born2Bond™ UV-Acrylates

Display bonding with **Born2Bond**™ **HMPUR**, and serviceable gasketing with Born2Bond™ UV-CIPG






Connected electronics protection with Born2Bond™ Light Lock, **Bostik Thermelt HMPA**



Sports shoes bonding with Born2Bond™ Instant Adhesives, Bostik HMPUR, HMPSA, Webs

Fitness equipment parts bonding and assembly with Born2Bond™ Anaerobic Adhesives, UV-CIPG and Instant Adhesives






Bostik 2K-Epoxy, 2KPU





Engineering Adhesives for Sports and Leisure Equipment

E-BIKE ASSEMBLY





ELECTRONICS AND CONNECTED DEVICES

SOLUTIONS:

Born2Bond™ HMPUR Adhesives Born2Bond™ UV-CIPG Gasketing BENEFITS:

Reliable bonding with HMPUR, serviceable gasketing with UV-CIPG



E-MOTORS

SOLUTIONS:

Born2Bond[™] Instant Adhesives Born2Bond[™] Anaerobic Adhesives

High precision, fast-curing solutions, low blooming, vibration resistance



STRUCTURAL PARTS BONDING

SOLUTIONS:

Born²Bond[™] XMA Bostik 2KPU Bostik SAF and FIT MMA

BENEFITS:

Structural bonding, durability



BATTERY SYSTEMS

SOLUTIONS:

Born2Bond™ XMA Structural
Born2Bond™ Light Lock HV/Gel

Born2Bond[™] Anaerobic Adhesives Born2Bond[™] UV-CIPG Gasketing Born2Bond[™] HMPUR Adhesives

Bostik Butyl

Bostik Hot Melt Foam Gasket Bostik Sealant ISR Range

Bostik Structural 2KPU Bostik Assembly HMPSA

Bostik Thermelt[™] HMPA

BENEFITS:

Serviceable bonding, durability, reliable bonding with HMPUR, XMA Structural, UV-Instants, serviceable gasketing with UV-CIPG.

Durable and serviceable threadlocking of mechanical parts.

Reliable battery component assembly with SMP, 2KPU, Hotmelts, Anaerobics, serviceable gasketing with Butyls, BMS electronic components protection with HMPA low pressure molding, dual-cure instant adhesives.

Explore Bostik's full range of e-bike assembly and bonding solutions **Born2Bond**.Bostik.com/e-bike







Engineering Adhesives for Sports and Leisure Equipment

BORNBOND

SOLUTIONS

All **Born2Bond**[™] **Engineering Adhesives** are suitable for small production runs using manual application, as well as semi- or fully-automated production lines.

BORN2BOND™ INSTANT and UV-INSTANT ADHESIVES

- Low odor and low bloom solutions available for increased user comfort and uncompromised fine finishes
- Dual-cure adhesives feature 'cure-on-demand' properties for increased throughput and cure of excess material (patented **Light Lock** grades only*)
- Fast bonding solutions available for enhanced reliability and durability
- Automatic, semi-automatic and manual highprecision dispensing options

BORN2BOND™ HHD HMPUR ADHESIVES and UV-CIPG GASKETING

- Multi-substrate adhesion
- High temperature, humidity and chemical resistance
- · Good balance between strength and elasticity
- Waterproofing and dustproofing for increased durability
- · Extremely flexible and durable
- Suitable for automated dispensing for high-precision applications

BORN2BOND™

ANAEROBIC ADHESIVES

- Vibration, corrosion and chemical resistance for increased reliability
- · Reduced stock and inventory of fasteners
- 100% connection no loosening of screws
- High power transmission and resistance to dynamic loads
- Sustainable and more cost-effective solution to traditional mechanic fasteners
- Automatic, semi-automatic and manual high-precision dispensing options
- WL Range (non-CLP option) also available**

BOSTIK SAF and FIT STRUCTURAL MMA ADHESIVES

- Excellent environmental and chemical resistance
- Permanent toughness and high elongation
- Minimal surface preparation
- Wide range of open and curing times
- Wide service temperature range
- Maintains shape through vertical and overhead non-sag application properties



HIGH PERFORMANCE POLYMERS

ARKEMA

Beyond Bostik's portfolio as the adhesive solutions division, Arkema also offers pioneering and sustainable high performance polymers to customers from a broad range of markets. Bio-based and recyclable **Rilsan® Polyamide 11** and **Pebax® Rnew® Elastomers** are all chosen by manufacturers for their lightweight, high energy return, flexibility or high rigidity when required, cold temperature performance, overall durability as well as easy processibility – making them ideal for sports and leisure applications.

For more information and to order free **Born2Bond**[™] samples, please visit: **Born2Bond**.Bostik.com

IMPORTANT - PLEASE READ BEFORE USING THIS DOCUMENT

Bostik S.A., its parent companies, subsidiaries and affiliated entities (collectively, "Bostik") offers this Document for descriptive and informational use only. The Document is not a contract and is not a substitute for expert or professional advice. The statements, technical information, data, and recommendations contained herein are not exhaustive, are believed to be accurate as of the date hereof, and are not warranted in any way. Since the conditions and methods of use of the products and the information referred to herein are beyond our control, Bostik expressly disclaims any and all liability and damages that may arise from any use of the Document, the products, the results therefrom, or reliance on the information contain herein, and you hereby agree to waive any and all claims against Bostik relating in anyway thereto. You are responsible to test the suitability of any product in advance for any intended use.

Bostik encourages you to always read and understand (1) the Technical Data Sheet ("TDS") and (2) the Safety Data Sheet ("SDS") for all products before use.

NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR WARRANTY OF MERCHANTABILITY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE PRODUCTS DESCRIBED OR THE INFORMATION PROVIDED HEREIN, AND SUCH WARRANTIES ARE HEREBY DISCLAIMED. Additionally, Bostik disclaims any liability for direct, incidental, consequential, or special damages to the maximum extent allowed by law.

By using this Document you are hereby consenting to the above terms and conditions of use, and you agree to waive certain rights as set forth above.

*Patented in multiple countries. **Available in selected regions only. Not classified as a hazardous substance/mixture under the Classification, Labelling and Packaging of substances and mixtures (CLP) Regulation (EC) 1272/2008 in EU. Always use glasses and gloves when applying adhesives.

